

TABLE 1
Asbestos Air Monitoring Data
Parcel A, Hunters Point Shipyard
San Francisco, California

| Date | HV-1 | HV-2 | HV-4 | HV-5 | HV-6 | HV-7 | HV-7 | HV-8 | HV-8 | HV-9 | HV-9 | HV-10 | HV-10 ¹ | HV-11 | HV-12 ¹ | Site Activity |
|----------|----------|----------|----------|----------|----------|----------|-------|----------|-------|----------|-------|----------|--------------------|-------|--------------------|---|
| Sampled | (BAAQMD) | (BAAQMD) | (BAAQMD) | (BAAQMD) | (BAAQMD) | (Lennar) | (T&R) | (Lennar) | (T&R) | (Lennar) | (T&R) | (Lennar) | (T&R) | (T&R) | (T&R) | |
| 08/03/06 | 0.0066 | 0.0150 | 0.0047 | 0.0075 | 0.0019 | | | | | | | | | | | Grading |
| 08/04/06 | 0.0066 | 0.0244 | 0.0103 | 0.0160 | 0.0038 | | | | | | | | | | | Grading |
| 08/08/06 | 0.0216 | 0.0188 | 0.0019 | <0.0009 | 0.0047 | | | | | | | | | | | Grading |
| 08/10/06 | 0.0188 | 0.0038 | <0.0009 | 0.0028 | <0.0009 | | | | | | | | | | | Grading |
| 08/15/06 | 0.0075 | 0.0010 | 0.0020 | 0.0038 | 0.0009 | | | | | | | | | | | Shut down due to asbestos on 8/15/06 at 12:30 pm |
| 08/16/06 | <0.0009 | 0.0019 | | <0.0009 | 0.0019 | | | | | | | | | | | Shut down due to asbestos |
| 08/17/06 | 0.0009 | <0.0009 | 0.0009 | 0.0019 | 0.0028 | | | | | | | | | | | Shut down due to asbestos |
| 08/18/06 | | <0.0009 | 0.0076 | 0.0047 | 0.0095 | | | | | | | | | | | Shut down due to asbestos |
| 08/19/06 | 0.0095 | 0.0009 | <0.0009 | <0.0009 | 0.0009 | | | | | | | | | | | Weekend |
| 08/20/06 | <0.0009 | <0.0009 | <0.0009 | <0.0009 | <0.0009 | | | | | | | | | | | Weekend |
| 08/21/06 | 0.0057 | 0.0028 | 0.0038 | 0.0095 | | | | | | | | | | | | Work resumes on 8/21/06 at 7 am |
| 08/22/06 | 0.0446 | 0.0209 | <0.0009 | 0.0057 | 0.0152 | | | | | | | | | | | Grading |
| 08/23/06 | 0.0275 | 0.0284 | 0.0085 | 0.0265 | 0.0114 | | | | | | | | | | | Grading |
| 08/24/06 | 0.0152 | <0.0009 | 0.0133 | 0.0038 | 0.0019 | | | | | | | | | | | Shut down due to asbestos on 8/23/06 at 5:30 pm |
| 08/25/06 | 0.0019 | <0.0009 | 0.0057 | 0.0028 | <0.0009 | | | | | | | | | | | Shut down due to asbestos |
| 08/26/06 | 0.0009 | 0.0009 | 0.0057 | 0.0009 | 0.0009 | | | | | | | | | | | Weekend |
| 08/27/06 | 0.0009 | 0.0028 | 0.0019 | 0.0009 | <0.0009 | | | | | | | | | | | Weekend |
| 08/28/06 | 0.0019 | <0.0009 | 0.0019 | | <0.0009 | | | | | | | | | | | Shut down due to asbestos |
| 08/29/06 | 0.0047 | <0.0009 | 0.0038 | 0.0077 | 0.0047 | | | | | | | | | | | Grading resumes on 8/29/06 at 7 am |
| 08/30/06 | 0.0085 | 0.0123 | 0.0095 | 0.0142 | 0.0057 | | | | | | | | | | | Grading |
| 08/31/06 | 0.0057 | 0.0047 | 0.0095 | 0.0095 | 0.0085 | | | | | | | | | | | Grading |
| 09/01/06 | <0.0009 | 0.0009 | <0.0009 | <0.0010 | <0.0010 | | | | | | | | | | | Shut down due to asbestos on 9/1/06 at 1:30 pm |
| 09/05/06 | 0.0066 | 0.0096 | 0.0085 | 0.0066 | 0.0084 | | | | | | | | | | | Grading resumes on 9/5/06 at 7 am |
| 09/06/06 | 0.0076 | 0.0123 | 0.0076 | 0.0095 | 0.0047 | | | | | | | | | | | Grading |
| 09/07/06 | 0.0047 | 0.0075 | 0.0009 | 0.0084 | <0.0010 | | | | | | | | | | | Grading |
| 09/08/06 | 0.0009 | 0.0038 | 0.0038 | 0.0009 | <0.0009 | | | | | | | | | | | Grading |
| 09/11/06 | 0.0123 | 0.0067 | 0.0030 | 0.0076 | 0.0020 | | | | | | | | | | | Grading |
| 09/12/06 | 0.0142 | 0.0103 | 0.0154 | 0.0075 | 0.0058 | | | | | | | | | | | Grading |
| 09/13/06 | 0.0228 | 0.0117 | 0.0086 | 0.0180 | 0.0038 | | | | | | | | | | | Grading |
| 09/14/06 | 0.0057 | 0.0019 | 0.0123 | 0.0066 | 0.0038 | | | | | | | | | | | Shut down due to asbestos on 9/14/06 at 11:00 am |
| 09/15/06 | 0.0009 | <0.0009 | 0.0019 | <0.0009 | 0.0009 | | | | | | | | | | | Shut down due to asbestos |
| 09/16/06 | 0.0009 | <0.0009 | 0.0028 | <0.0009 | <0.0009 | | | | | | | | | | | Weekend |
| 09/17/06 | 0.0009 | <0.0009 | 0.0009 | <0.0009 | <0.0009 | | | | | | | | | | | Weekend |
| 09/18/06 | 0.0050 | 0.0104 | 0.0076 | 0.0085 | 0.0038 | | | | | | | | | | | Grading resumes on 9/18/06 at 7:00 am |
| 09/19/06 | 0.0039 | 0.0028 | 0.0047 | 0.0044 | 0.0085 | | | | | | | | | | | Grading |
| 09/20/06 | 0.0047 | 0.0076 | 0.0085 | 0.0114 | 0.0047 | | | | | | | | | | | Grading |
| 09/21/06 | 0.0133 | 0.0066 | 0.0076 | 0.0142 | 0.0028 | | | | | | | | | | | Grading |
| 09/22/06 | 0.0047 | <0.0009 | 0.0038 | 0.0038 | 0.0047 | | | | | | | | | | | Grading |
| 09/25/06 | 0.0019 | 0.0009 | 0.0028 | 0.0030 | 0.0048 | | | | | | | | | | | Grading |
| 09/25/06 | | | 0.0020 | | | | | | | | | | | | | (duplicate) |
| 09/26/06 | 0.0038 | 0.0067 | 0.0010 | 0.0019 | 0.0010 | | | | | | | | | | | Grading |
| 09/26/06 | | | <0.0010 | | | | | | | | | | | | | (duplicate) |
| 09/27/06 | 0.0037 | 0.0076 | 0.0057 | 0.0279 | 0.0047 | | | | | | | | | | | Grading |
| 09/27/06 | | | 0.0029 | | | | | | | | | | | | | (duplicate) |
| 09/28/06 | 0.0029 | 0.0039 | 0.0010 | 0.0126 | <0.0010 | | | | | | | | | | | Grading - work stoppage due to exceedence in late afternoon |
| 09/28/06 | | | 0.0076 | | | | | | | | | | | | | (duplicate) |
| 09/29/06 | <0.0009 | 0.0110 | 0.0019 | 0.0055 | <0.0009 | | | | | | | | | | | Work Stoppage due to exceedence |
| 09/29/06 | | | 0.0065 | | | | | | | | | | | | | (duplicate) |
| 09/30/06 | 0.0049 | <0.0010 | 0.0039 | 0.0010 | <0.0010 | | | | | | | | | | | Work Stoppage due to exceedence |
| 10/02/06 | 0.0064 | 0.0055 | 0.0046 | 0.0073 | 0.0010 | | | | | | | | | | | Grading resumes on 10/02/06 at 7:00 am |
| 10/02/06 | | | 0.0092 | | | | | | | | | | | | | (duplicate) |
| 10/03/06 | 0.0018 | 0.0037 | 0.0037 | 0.0055 | 0.0018 | | | | | | | | | | | Grading |

TABLE 1
Asbestos Air Monitoring Data
Parcel A, Hunters Point Shipyard
San Francisco, California

| Date | HV-1 | HV-2 | HV-4 | HV-5 | HV-6 | HV-7 | HV-7 | HV-8 | HV-8 | HV-9 | HV-9 | HV-10 | HV-10 ¹ | HV-11 | HV-12 ¹ | Site Activity |
|----------|----------|----------|----------|----------|----------|----------|-------|----------|-------|----------|-------|----------|--------------------|-------|--------------------|--|
| Sampled | (BAAQMD) | (BAAQMD) | (BAAQMD) | (BAAQMD) | (BAAQMD) | (Lennar) | (T&R) | (Lennar) | (T&R) | (Lennar) | (T&R) | (Lennar) | (T&R) | (T&R) | (T&R) | |
| 10/03/06 | | | <0.0009 | | | | | | | | | | | | | (duplicate) |
| 10/04/06 | 0.0020 | 0.0019 | 0.0047 | 0.0028 | 0.0029 | | | | | | | | | | | Grading |
| 10/05/06 | <0.0010 | <0.0010 | 0.0067 | <0.0010 | <0.0010 | | | | | | | | | | | Grading |
| 10/06/06 | <0.0010 | <0.0009 | <0.0010 | <0.0009 | 0.0028 | | | | | | | | | | | Grading |
| 10/06/06 | | | 0.0018 | | | | | | | | | | | | | (duplicate) |
| 10/07/06 | <0.0009 | <0.0009 | <0.0009 | <0.0010 | <0.0009 | | | | | | | | | | | Demolition of cement retaining wall only |
| 10/07/06 | | | <0.0009 | | | | | | | | | | | | | (duplicate) |
| 10/09/06 | 0.0113 | 0.0065 | 0.0030 | 0.0049 | 0.0009 | | | | | | | | | | | Grading |
| 10/10/06 | 0.0066 | 0.0047 | 0.0094 | 0.0054 | 0.0038 | | | | | | | | | | | Grading |
| 10/10/06 | | | 0.0046 | | | | | | | | | | | | | (duplicate) |
| 10/11/06 | 0.0038 | 0.0018 | 0.0064 | 0.0039 | 0.0018 | | | | | | | | | | | Grading |
| 10/12/06 | 0.0193 | 0.0010 | 0.0094 | 0.0100 | 0.0009 | | | | | | | | | | | Grading |
| 10/13/06 | 0.0018 | <0.0009 | 0.0055 | 0.0018 | <0.0009 | | | | | | | | | | | Grading - Shut down due to asbestos in afternoon |
| 10/13/06 | | | 0.0038 | | | | | | | | | | | | | (duplicate) |
| 10/14/06 | 0.0019 | <0.0010 | 0.0020 | <0.0010 | 0.0009 | | | | | | | | | | | Shut down due to asbestos |
| 10/16/06 | 0.0077 | 0.0028 | <0.0009 | 0.0064 | 0.0009 | | | | | | | | | | | Grading resumes on 10/16/06 at 7:00 am |
| 10/16/06 | | 0.0009 | | | | | | | | | | | | | | (duplicate) |
| 10/17/06 | 0.0066 | 0.0046 | 0.0358 | 0.0220 | 0.0381 | | | | | | | | | | | Grading |
| 10/18/06 | 0.0067 | 0.0055 | 0.0073 | 0.0128 | 0.0113 | | | | | | | | | | | Grading - work stoppage in late afternoon due to asbestos exceedence |
| 10/18/06 | | 0.0059 | | | | | | | | | | | | | | (duplicate) |
| 10/19/06 | 0.0054 | 0.0046 | 0.0064 | 0.0058 | 0.0028 | | | | | | | | | | | Grading resumes on 10/20/06 at 7:00 am |
| 10/19/06 | | 0.0073 | | | | | | | | | | | | | | (duplicate) |
| 10/20/06 | 0.0056 | 0.0131 | 0.0073 | 0.0029 | 0.0048 | | | | | | | | | | | Grading |
| 10/21/06 | 0.0046 | 0.0110 | 0.0119 | 0.0056 | 0.0028 | | | | | | | | | | | Grading |
| 10/23/06 | 0.0047 | 0.0037 | 0.0055 | 0.0018 | 0.0009 | | | | | | | | | | | Grading |
| 10/24/06 | 0.0055 | 0.0050 | 0.0037 | 0.0019 | 0.0019 | | | | | | | | | | | Grading |
| 10/25/06 | 0.0135 | 0.0029 | 0.0125 | 0.0039 | 0.0029 | | | | | | | | | | | Grading |
| 10/26/06 | 0.0149 | 0.0073 | 0.0028 | 0.0064 | 0.0009 | | | | | | | | | | | Grading |
| 10/27/06 | 0.0039 | 0.0028 | 0.0028 | <0.0009 | <0.0009 | | | | | | | | | | | Grading |
| 10/28/06 | 0.0009 | 0.0028 | <0.0009 | <0.0010 | NA | | | | | | | | | | | Grading |
| 10/28/06 | | <0.0010 | | | | | | | | | | | | | | (duplicate) |
| 10/30/06 | 0.0049 | 0.0037 | <0.0010 | 0.0038 | 0.0037 | | | | | | | | | | | Grading |
| 10/31/06 | 0.0010 | 0.0031 | 0.0041 | 0.0138 | <0.009 | | | | | | | | | | | Grading |
| 11/01/06 | 0.0047 | 0.0114 | <0.0008 | 0.0021 | 0.0005 | | | | | | | | | | | Grading |
| 11/02/06 | <0.0009 | <0.0009 | <0.0009 | <0.0009 | <0.0009 | | | | | | | | | | | Some Grading - persistent rain throughout day |
| 11/03/06 | <0.0010 | <0.0009 | 0.0009 | <0.0010 | <0.0010 | | | | | | | | | | | Grading |
| 11/04/06 | <0.0010 | <0.0010 | 0.0019 | <0.0010 | <0.0010 | | | | | | | | | | | Grading - Start 24 Hour Sampling |
| 11/06/06 | 0.0009 | 0.0018 | 0.0049 | <0.0009 | <0.0010 | | | | | | | | | | | Grading |
| 11/06/06 | | 0.0028 | | | | | | | | | | | | | | (duplicate) |
| 11/07/06 | 0.0009 | <0.0009 | 0.0038 | <0.0009 | <0.0010 | | | | | | | | | | | Grading |
| 11/08/06 | 0.0074 | 0.0037 | <0.0009 | 0.0028 | <0.0009 | | | | | | | | | | | Grading |
| 11/09/06 | 0.0074 | 0.0046 | 0.0100 | <0.0009 | <0.0010 | | | | | | | | | | | Grading |
| 11/10/06 | 0.0018 | 0.0028 | 0.0059 | <0.0009 | <0.0009 | | | | | | | | | | | Grading |
| 11/13/06 | | 0.0010 | 0.0010 | <0.0009 | 0.0018 | | | | | | | | | | | Grading |
| 11/15/06 | | <0.0010 | 0.0066 | 0.0019 | 0.0010 | | | | | | | | | | | Grading |
| 11/16/06 | 0.0020 | <0.0010 | 0.0010 | 0.0010 | <0.0009 | | | | | | | | | | | Grading |
| 11/16/06 | <0.0010 | | | | | | | | | | | | | | | (duplicate) |
| 11/17/06 | <0.0009 | <0.0009 | 0.0019 | <0.0009 | <0.0009 | | | | | | | | | | | Grading |
| 11/18/06 | <0.0009 | <0.0010 | 0.0055 | <0.0009 | <0.0009 | | | | | | | | | | | Grading |
| 11/20/06 | <0.0009 | <0.0009 | <0.0010 | <0.0010 | <0.0010 | | | | | | | | | | | Grading |
| 11/20/06 | <0.0009 | | | | | | | | | | | | | | | (duplicate) |

TABLE 1
Asbestos Air Monitoring Data
Parcel A, Hunters Point Shipyard
San Francisco, California

| Date | HV-1 | HV-2 | HV-4 | HV-5 | HV-6 | HV-7 | HV-7 | HV-8 | HV-8 | HV-9 | HV-9 | HV-10 | HV-10 ¹ | HV-11 | HV-12 ¹ | Site Activity |
|----------|----------|----------|----------|----------|----------|----------|---------|----------|---------|----------|---------|----------|--------------------|---------|--------------------|--|
| Sampled | (BAAQMD) | (BAAQMD) | (BAAQMD) | (BAAQMD) | (BAAQMD) | (Lennar) | (T&R) | (Lennar) | (T&R) | (Lennar) | (T&R) | (Lennar) | (T&R) | (T&R) | (T&R) | |
| 11/21/06 | <0.0010 | 0.0111 | 0.0010 | 0.0009 | <0.0010 | | | | | | | | | | | Grading |
| 11/22/06 | <0.0010 | 0.0077 | 0.0040 | 0.0010 | <0.0009 | | | | | | | | | | | Grading |
| 11/27/06 | <0.0010 | <0.0009 | <0.0009 | <0.0009 | <0.0009 | | | | | | | | | | | Grading |
| 11/28/06 | 0.0009 | <0.0010 | <0.0010 | <0.0009 | <0.0009 | | | | | | | | | | | Grading |
| 11/29/06 | <0.0009 | <0.0009 | <0.0010 | <0.0010 | <0.0010 | | | | | | | | | | | Grading |
| 11/29/06 | 0.0010 | | | | | | | | | | | | | | | (duplicate) |
| 11/30/06 | 0.0557 | 0.0235 | 0.0028 | <0.0009 | 0.0028 | | | | | | | | | | | Grading |
| 12/01/06 | 0.0009 | 0.0059 | 0.0049 | <0.0010 | <0.0009 | <0.0009 | | | | | | | | | | Grading |
| 12/02/06 | | <0.0010 | 0.0010 | <0.0010 | 0.0010 | 0.0031 | | | | | | | | | | Grading |
| 12/04/06 | 0.0018 | <0.0010 | 0.0069 | <0.0010 | <0.0009 | <0.0009 | | | | | | | | | | Grading - work stoppage due to asbestos exceedence |
| 12/05/06 | <0.0009 | 0.0039 | 0.0028 | <0.0009 | <0.0009 | <0.0010 | | <0.0010 | | 0.0085 | | <0.0010 | | | | Grading resumes on 12/5/06 at 7:00 am |
| 12/06/06 | 0.0028 | 0.0119 | <0.0010 | 0.0018 | 0.0041 | <0.0010 | | <0.0010 | | 0.0018 | | 0.0030 | | | | Grading |
| 12/07/06 | <0.0010 | <0.0010 | <0.0010 | 0.0028 | <0.0009 | <0.0010 | | 0.0010 | | <0.0010 | | 0.0030 | | | | Grading |
| 12/11/06 | <0.0009 | 0.0077 | <0.0010 | <0.0009 | <0.0010 | <0.0009 | | 0.0104 | | 0.0010 | | <0.0010 | | | | Grading |
| 12/18/06 | <0.0009 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | 0.0058 | <0.0010 | 0.0010 | 0.0057 | 0.0201 | | | | Grading |
| 12/19/06 | <0.0009 | <0.0009 | 0.0107 | <0.0010 | <0.0009 | 0.0010 | 0.0010 | <0.0010 | 0.0030 | <0.0010 | 0.0046 | 0.0070 | | | | Grading |
| 12/20/06 | 0.0009 | <0.0009 | 0.0039 | 0.0019 | 0.0036 | <0.0010 | 0.0010 | 0.0039 | 0.0039 | 0.0018 | 0.0010 | 0.0143 | 0.0174 | | | No work - shut down due to 12/18/2006 exceedence |
| 12/21/06 | <0.0009 | <0.0009 | <0.0010 | <0.0009 | <0.0010 | <0.0009 | 0.0010 | 0.0010 | <0.0010 | 0.0010 | 0.0010 | 0.0009 | | | | No work - shut down due to 12/18/2006 exceedence |
| 12/22/06 | <0.0009 | <0.0009 | 0.0020 | <0.0010 | <0.0010 | <0.0009 | <0.0010 | <0.0010 | <0.0010 | 0.0010 | 0.0029 | <0.0009 | | | | No work - shut down due to 12/18/2006 exceedence |
| 12/26/06 | | | | | | | 0.0029 | | | | <0.0010 | 0.0089 | | | | |
| 01/02/07 | <0.0010 | <0.0009 | 0.0019 | 0.0029 | <0.0010 | | 0.0010 | | | | 0.0038 | 0.0029 | | | | Grading |
| 01/02/07 | | | 0.0009 | | | | | | | | | | | | | (duplicate) |
| 01/03/07 | <0.0010 | <0.0009 | 0.0010 | 0.0039 | 0.0040 | | | | | | | | | | | Grading |
| 01/05/07 | <0.0010 | <0.0010 | 0.0056 | <0.0010 | <0.0010 | | 0.0005 | | | | <0.0005 | 0.0014 | | | | Grading |
| 01/05/07 | | | 0.0066 | | | | | | | | | | | | | (duplicate) |
| 01/06/07 | <0.0010 | <0.0010 | <0.0009 | <0.0010 | <0.0010 | | | | | | | | | | | Grading |
| 01/08/07 | 0.0009 | 0.0046 | 0.0139 | <0.0010 | 0.0009 | | 0.0019 | | | | <0.0010 | | | 0.0049 | | Grading |
| 01/09/07 | <0.0010 | 0.0019 | 0.0019 | 0.0010 | 0.0010 | | 0.0049 | | | | 0.0019 | | | 0.0029 | | Grading |
| 01/09/07 | | | 0.0019 | | | | | | | | | | | | | (duplicate) |
| 01/10/07 | 0.0046 | 0.0028 | <0.0009 | 0.0085 | <0.0009 | | 0.0020 | | 0.0214 | | <0.0009 | 0.0028 | | | | Grading |
| 01/11/07 | 0.0020 | 0.0020 | 0.0088 | <0.0010 | 0.0009 | | 0.0010 | | | | 0.0019 | 0.0145 | 0.0039 | | | Grading |
| 01/12/07 | 0.0010 | 0.0009 | 0.0141 | 0.0028 | 0.0009 | | 0.0010 | | | | 0.0019 | 0.0019 | <0.0010 | | | Shut down @ approximately Noon due to 1/10/2007 exceedence |
| 01/12/07 | | | 0.0132 | | | | | | | | | | | | | (duplicate) |
| 01/13/07 | <0.0010 | <0.0009 | <0.0010 | <0.0009 | <0.0010 | | 0.0010 | | | | <0.0010 | | | <0.0010 | | Restart Grading operations |
| 01/14/07 | | | | | | | <0.0010 | | | | <0.0010 | 0.0019 | 0.0010 | | | |
| 01/15/07 | 0.0039 | 0.0010 | 0.0049 | <0.0009 | <0.0010 | | 0.0039 | | | | 0.0039 | 0.0194 | 0.0097 | | | Grading |
| 01/16/07 | 0.0019 | 0.0029 | 0.0079 | <0.0010 | <0.0010 | | 0.0039 | | | | 0.0019 | 0.0078 | 0.0256 | | | Grading |
| 01/17/07 | <0.0010 | 0.0020 | 0.0029 | <0.0010 | <0.0010 | | <0.0009 | | | | 0.0059 | 0.0142 | 0.0040 | | | Shut down due to 1/15/2007 exceedence |
| 01/18/07 | <0.0010 | <0.0010 | 0.0020 | <0.0010 | <0.0010 | | 0.0010 | | | | 0.0009 | 0.0134 | 0.0038 | | | Shut down due to 1/16/2007 exceedence |
| 01/18/07 | | | 0.0010 | | | | | | | | | | | | | (duplicate) |
| 01/19/07 | <0.0009 | <0.0010 | <0.0009 | <0.0010 | <0.0010 | | 0.0019 | | 0.0010 | | <0.0010 | 0.0068 | 0.0039 | | | Restart Grading operations |
| 01/20/07 | <0.0009 | <0.0009 | <0.0009 | <0.0009 | <0.0010 | | <0.0010 | | | | <0.0010 | <0.0010 | 0.0044 | | | Grading |
| 01/20/07 | | | <0.0010 | | | | | | | | | | | | | (duplicate) |
| 01/22/07 | <0.0010 | 0.0049 | 0.0121 | 0.0010 | <0.0009 | | <0.0010 | | <0.0010 | | 0.0020 | 0.0349 | 0.0320 | | | Grading |
| 01/23/07 | 0.0019 | 0.0048 | 0.0095 | <0.0009 | <0.0010 | | <0.0010 | | | | <0.0010 | 0.0110 | 0.0089 | | | Grading |
| 01/24/07 | 0.0047 | <0.0010 | 0.0069 | 0.0020 | 0.0009 | | 0.0076 | | | | 0.0612 | 0.0407 | 0.0184 | | | Shut down due to 1/22/2007 community station exceedence |
| 01/24/07 | 0.0246 | | | | | | | | | | | | | | | (duplicate) |
| 01/25/07 | 0.0010 | <0.0009 | 0.0030 | <0.0009 | <0.0010 | | <0.0009 | | | | 0.0029 | 0.0142 | 0.0029 | | | Grading |
| 01/26/07 | 0.0087 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | | 0.0059 | | | | 0.0069 | 0.0133 | 0.0010 | | | Shut down due to 1/24/2007 exceedence |
| 01/29/07 | <0.0010 | 0.0009 | 0.0086 | 0.0009 | 0.0010 | | <0.0010 | | | | <0.0009 | 0.0175 | 0.0040 | | | Restart Grading operations |
| 01/29/07 | | | 0.0019 | | | | | | | | | | | | | (duplicate) |

TABLE 1
Asbestos Air Monitoring Data
Parcel A, Hunters Point Shipyard
San Francisco, California

| Date | HV-1 | HV-2 | HV-4 | HV-5 | HV-6 | HV-7 | HV-7 | HV-8 | HV-8 | HV-9 | HV-9 | HV-10 | HV-10 ¹ | HV-11 | HV-12 ¹ | Site Activity |
|----------|---------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|--------------------|----------|--------------------|---|
| Sampled | (BAAQMD) | (BAAQMD) | (BAAQMD) | (BAAQMD) | (BAAQMD) | (Lennar) | (T&R) | (Lennar) | (T&R) | (Lennar) | (T&R) | (Lennar) | (T&R) | (T&R) | (T&R) | |
| 01/30/07 | < 0.0009 | < 0.0010 | 0.0038 | < 0.0010 | < 0.0010 | | < 0.0010 | | < 0.0010 | | 0.0010 | | 0.0332 | 0.0039 | | Grading |
| 01/31/07 | 0.0029 | < 0.0010 | 0.0079 | < 0.0010 | < 0.0010 | | < 0.0010 | | | | 0.0138 | | 0.0399 | 0.0131 | | Grading |
| 02/01/07 | 0.0020 | 0.0009 | 0.0065 | < 0.0010 | < 0.0009 | | 0.0010 | | | | 0.0148 | | 0.0344 | 0.0144 | | Grading |
| 02/01/07 | | | 0.0065 | | | | | | | | | | | | | (duplicate) |
| 02/02/07 | < 0.0009 | < 0.0009 | 0.0047 | < 0.0010 | < 0.0009 | | < 0.0010 | | | | < 0.0010 | | 0.0029 | < 0.0010 | | Grading |
| 02/03/07 | | | | | | | < 0.0010 | | | | 0.0010 | | 0.0019 | < 0.0010 | | No work - Saturday |
| 02/05/07 | < 0.0009 | < 0.0010 | 0.0009 | < 0.0009 | < 0.0010 | | < 0.0005 | | | | 0.0037 | | 0.0056 | < 0.0009 | | Grading |
| 02/06/07 | < 0.0009 | < 0.0010 | 0.0115 | 0.0038 | < 0.0009 | | 0.0010 | | | | 0.0105 | | 0.0365 | 0.0010 | | Grading |
| 02/07/07 | | | | | | | 0.0178 | | 0.0048 | | 0.0019 | | 0.0088 | 0.0280 | | SWPPP work only |
| 02/09/07 | | | | | | | < 0.0009 | | | | < 0.0010 | | < 0.0010 | < 0.0010 | | SWPPP work only |
| 02/10/07 | 0.0020 | < 0.0009 | < 0.0010 | < 0.0009 | 0.0019 | | | | | | | | | | | No work due to rain & 2/7/06 community station exceedance |
| 02/12/07 | < 0.0010 | < 0.0009 | < 0.0010 | 0.0030 | < 0.0010 | | < 0.0009 | | | | 0.0010 | | 0.0066 | 0.0010 | | No grading activities due to wet conditions - SWPPP work |
| 02/13/07 | Not sampled | < 0.0009 | 0.0020 | < 0.0009 | < 0.0010 | | < 0.0010 | | | | 0.0030 | | 0.0129 | 0.0038 | | No grading activities due to wet conditions - SWPPP work |
| 02/13/07 | | | 0.0010 | | | | | | | | | | | | | (duplicate) |
| 02/20/07 | due to access | 0.0009 | 0.0009 | < 0.0010 | < 0.0009 | | < 0.0010 | | | | 0.0019 | | 0.0066 | 0.0029 | | Grading |
| 03/07/07 | 0.0010 | < 0.0010 | < 0.0010 | < 0.0010 | < 0.0009 | | 0.0078 | | | | | | | | | Grading |
| 03/07/07 | | | 0.0010 | | | | | | | | | | | | | (duplicate) |
| 03/08/07 | < 0.0009 | < 0.0010 | < 0.0010 | | 0.0010 | | 0.0078 | | | | 0.0048 | | 0.0087 | 0.0010 | | Grading |
| 03/09/07 | < 0.0010 | < 0.0010 | 0.0056 | < 0.0009 | < 0.0009 | | 0.0010 | | | | < 0.0010 | | 0.0019 | 0.0010 | | Grading |
| 03/12/07 | < 0.0009 | 0.0010 | 0.0009 | 0.0010 | < 0.0009 | | < 0.0010 | | | | 0.0058 | | 0.0150 | 0.0138 | | Grading |
| 03/12/07 | | | 0.0028 | | | | | | | | | | | | | (duplicate) |
| 03/13/07 | 0.0028 | 0.0019 | 0.0019 | < 0.0010 | < 0.0010 | | < 0.0010 | | | | 0.0028 | | 0.0129 | 0.0019 | | Grading |
| 03/14/07 | 0.0059 | 0.0009 | < 0.0009 | < 0.0009 | < 0.0010 | | 0.0010 | | | | 0.0010 | | 0.0116 | 0.0029 | | Grading |
| 03/15/07 | 0.0067 | 0.0030 | 0.0105 | < 0.0010 | < 0.0010 | | | | | | | | | | | Grading |
| 03/16/07 | 0.0050 | < 0.0010 | 0.0057 | < 0.0010 | < 0.0010 | | 0.0010 | | 0.0019 | | 0.0029 | | 0.0029 | 0.0078 | | Grading |
| 03/19/07 | 0.0019 | < 0.0010 | 0.0116 | < 0.0010 | < 0.0009 | | < 0.0010 | | | | 0.0040 | | 0.0020 | < 0.0010 | | Grading |
| 03/20/07 | | | | | | | NA | | | | < 0.0009 | | < 0.0006 | < 0.0010 | | No mass grading activities - drilling on hilltop only |
| 03/21/07 | < 0.0010 | < 0.0010 | < 0.0009 | < 0.0010 | < 0.0010 | | | | | | | | | | | No mass grading activities - drilling on hilltop only |
| 03/22/07 | < 0.0010 | 0.0009 | 0.0077 | 0.0009 | < 0.0010 | | 0.0010 | | | | < 0.0010 | | 0.0077 | < 0.0010 | | No mass grading activities - drilling on hilltop only |
| 03/23/07 | < 0.0010 | < 0.0010 | < 0.0009 | < 0.0010 | < 0.0010 | | 0.0010 | | < 0.0009 | | 0.0020 | | 0.0010 | < 0.0010 | | Grading |
| 03/23/07 | | | < 0.0010 | | | | | | | | | | | | | (duplicate) |
| 03/26/07 | 0.0068 | < 0.0010 | 0.0018 | < 0.0010 | < 0.0010 | | | | | | | | | | | Grading |
| 03/27/07 | 0.0010 | < 0.0010 | 0.0020 | < 0.0009 | < 0.0010 | | | | | | | | | | | Grading |
| 03/28/07 | < 0.0010 | < 0.0009 | 0.0019 | < 0.0009 | < 0.0009 | | < 0.0010 | | < 0.0009 | | < 0.0010 | | 0.0020 | < 0.0010 | | Grading |
| 03/29/07 | 0.0124 | < 0.0010 | 0.0109 | < 0.0010 | < 0.0010 | | | | | | | | | | | Grading |
| 03/30/07 | 0.0010 | < 0.0009 | 0.0020 | < 0.0009 | < 0.0009 | | < 0.0009 | | | | < 0.0010 | | < 0.0010 | < 0.0010 | | Grading |
| 03/30/07 | | | 0.0039 | | | | | | | | | | | | | (duplicate) |
| 03/31/07 | < 0.0009 | < 0.0009 | < 0.0010 | < 0.0009 | < 0.0009 | | < 0.0010 | | | | < 0.0010 | | < 0.0010 | < 0.0010 | | Grading |
| 04/02/07 | 0.0047 | < 0.0009 | < 0.0009 | < 0.0009 | < 0.0009 | | < 0.0010 | | | | 0.0020 | | 0.0029 | < 0.0009 | | Grading |
| 04/03/07 | < 0.0009 | < 0.0009 | 0.0076 | 0.0122 | < 0.0010 | | < 0.0010 | | | | < 0.0010 | | 0.0010 | < 0.0010 | | Grading |
| 04/04/07 | < 0.0009 | < 0.0009 | 0.0075 | 0.0009 | < 0.0010 | | < 0.0010 | | | | < 0.0009 | | 0.0049 | 0.0029 | | Grading |
| 04/05/07 | 0.0038 | < 0.0009 | < 0.0009 | 0.0009 | < 0.0009 | | | | | | | | | | | Grading |
| 04/05/07 | | | 0.0019 | | | | | | | | | | | | | (duplicate) |
| 04/06/07 | 0.0009 | < 0.0009 | < 0.0009 | 0.0009 | < 0.0009 | | < 0.0010 | | | | < 0.0010 | | < 0.0010 | < 0.0010 | | Grading |
| 04/07/07 | < 0.0009 | < 0.0009 | < 0.0009 | < 0.0009 | < 0.0009 | | < 0.0010 | | < 0.0010 | | 0.0010 | | < 0.0010 | 0.0009 | | Grading |
| 04/09/07 | 0.0078 | 0.0010 | 0.0009 | 0.0028 | < 0.0010 | | < 0.0010 | | | | 0.0040 | | 0.0090 | 0.0037 | | Grading |
| 04/10/07 | < 0.0010 | < 0.0009 | 0.0125 | 0.0057 | < 0.0010 | | < 0.0010 | | < 0.0010 | | 0.0038 | | 0.0058 | 0.0057 | | Grading |
| 04/11/07 | < 0.0009 | < 0.0009 | < 0.0009 | < 0.0009 | < 0.0009 | | < 0.0010 | | | | 0.0010 | | 0.0058 | 0.0020 | | Grading |
| 04/12/07 | 0.0058 | 0.0010 | 0.0019 | 0.0211 | < 0.0010 | | 0.0010 | | | | < 0.0010 | | 0.0197 | 0.0029 | | Grading |
| 04/13/07 | < 0.0010 | < 0.0010 | < 0.0009 | 0.0058 | 0.0114 | | < 0.0009 | | | | < 0.0010 | | < 0.0010 | < 0.0010 | | Grading |
| 04/14/07 | < 0.0009 | < 0.0009 | < 0.0009 | < 0.0010 | < 0.0009 | | | | | | | | | | | Shut down due to 4/12/07 asbestos exceedance |
| 04/14/07 | | | < 0.0009 | | | | | | | | | | | | | (duplicate) |

TABLE 1
Asbestos Air Monitoring Data
Parcel A, Hunters Point Shipyard
San Francisco, California

| Date | HV-1 | HV-2 | HV-4 | HV-5 | HV-6 | HV-7 | HV-7 | HV-8 | HV-8 | HV-9 | HV-9 | HV-10 | HV-10 ¹ | HV-11 | HV-12 ¹ | Site Activity |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------------|---------------------------|----------|--------------------|----------|--------------------|--|
| Sampled | (BAAQMD) | (BAAQMD) | (BAAQMD) | (BAAQMD) | (BAAQMD) | (Lennar) | (T&R) | (Lennar) | (T&R) | (Lennar) | (T&R) | (Lennar) | (T&R) | (T&R) | (T&R) | |
| 04/16/07 | <0.0009 | 0.0010 | 0.0009 | <0.0009 | 0.0010 | | 0.0043 | | | | < 0.0009 | | 0.0077 | 0.0039 | | Restart Grading operations |
| 04/17/07 | <0.0009 | <0.0009 | <0.0009 | 0.0065 | <0.0009 | | < 0.0010 | | | | 0.0010 | | 0.0019 | 0.0020 | | Grading |
| 04/18/07 | 0.0009 | <0.0009 | 0.0009 | <0.0009 | <0.0009 | | <0.0010 | | <0.0009 | | <0.0010 | | 0.0019 | 0.0059 | | Grading |
| 04/19/07 | 0.0026 | <0.0009 | 0.0064 | 0.0018 | <0.0009 | | <0.0009 | | <0.0009 | | 0.0059 | | 0.0059 | 0.0087 | | Grading |
| 04/20/07 | <0.0010 | <0.0009 | 0.0020 | 0.0010 | <0.0009 | | <0.0009 | | <0.0009 | | 0.0019 | | 0.0010 | < 0.0010 | | No mass grading activities - drilling on hilltop only |
| 04/21/07 | <0.0010 | 0.0010 | 0.0018 | <0.0009 | 0.0010 | | 0.0010 | | | | < 0.0010 | | 0.0030 | < 0.0009 | | No mass grading activities - drilling on hilltop only |
| 04/21/07 | | | 0.0020 | | | | | | | | | | | | | |
| 04/23/07 | <0.0009 | <0.0010 | <0.0010 | <0.0010 | <0.0009 | | 0.0019 | | | | < 0.0010 | | 0.0175 | 0.0057 | | Grading |
| 04/24/07 | <0.0010 | <0.0010 | 0.0010 | <0.0010 | <0.0010 | | 0.0009 | | | | < 0.0010 | | 0.0087 | 0.0010 | | Grading |
| 04/25/07 | 0.0010 | <0.0009 | <0.0010 | <0.0009 | <0.0009 | | <0.0009 | | <0.0009 | | 0.0020 | | 0.0118 | 0.0150 | | Grading |
| 04/26/07 | 0.0058 | <0.0009 | 0.0010 | <0.0009 | <0.0009 | | 0.0029 | | | | 0.0019 | | 0.0058 | 0.0068 | | Grading |
| 04/27/07 | 0.0020 | 0.0028 | <0.0010 | 0.0010 | 0.0010 | | <0.0010 | | <0.0009 | | <0.0010 | | 0.0020 | 0.0038 | | Grading |
| 04/28/07 | 0.0009 | <0.0009 | <0.0009 | 0.0028 | <0.0010 | | <0.0010 | | | | 0.0049 | | 0.0128 | 0.0019 | | No mass grading activities - drilling on hilltop only |
| 04/28/07 | | | <0.0009 | | | | | | | | | | | | | |
| 04/30/07 | <0.0010 | <0.0009 | 0.0009 | <0.0010 | <0.0009 | | <0.0009 | | | | 0.0030 | | 0.0394 | 0.0059 | | Grading |
| 05/01/07 | 0.0010 | 0.0009 | 0.0027 | 0.0056 | <0.0010 | | <0.0010 | | <0.0010 | | 0.0079 | | 0.0107 | 0.0029 | | Grading |
| 05/02/07 | <0.0010 | <0.0009 | <0.0010 | <0.0009 | <0.0009 | | <0.0009 | | | | 0.0010 | | 0.0029 | 0.0010 | | No mass grading activities - drilling on hilltop only |
| 05/03/07 | <0.0010 | <0.0009 | <0.0009 | 0.0010 | 0.0030 | | <0.0010 | | | | 0.0048 | | 0.0086 | 0.0058 | | Grading |
| 05/04/07 | <0.0010 | <0.0009 | <0.0010 | <0.0009 | 0.0195 | | <0.0009 | | | | <0.0009 | | 0.0009 | < 0.0010 | | Grading |
| 05/04/07 | | | <0.0010 | | 0.0332 | | | | | | | | | | | (duplicate) |
| 05/05/07 | <0.0009 | <0.0010 | <0.0009 | <0.0009 | | | <0.0010 | | | | 0.0038 | | 0.0146 | 0.0020 | | No mass grading activities - drilling on hilltop only |
| 05/07/07 | 0.0046 | <0.0010 | 0.0058 | 0.0010 | <0.0010 | | 0.0066 | | 0.0009 | | 0.0151 | | 0.0142 | 0.0089 | | Grading |
| 05/08/07 | 0.0117 | 0.0057 | 0.0120 | 0.0018 | <0.0009 | | 0.0048 | | | | Not analyzed ¹ | | | 0.0019 | 0.0067 | Grading |
| 05/08/07 | | | 0.0101 | | | | | | | | | | | | | |
| 05/09/07 | 0.0057 | <0.0009 | <0.0009 | 0.0057 | <0.0009 | | <0.0010 | | | | <0.0010 | | | 0.0056 | 0.0130 | Shut down due to 5/07/07 elevated asbestos level at Community Station ² |
| 05/10/07 | <0.0009 | <0.0009 | <0.0010 | <0.0010 | <0.0010 | | <0.0010 | | | | 0.0029 | | | 0.0077 | 0.0099 | Grading |
| 05/11/07 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0009 | | <0.0009 | | | | <0.0009 | | | 0.0010 | 0.0010 | Grading |
| 05/14/07 | <0.0009 | <0.0009 | <0.0009 | <0.0009 | <0.0009 | | < 0.0009 | | | | 0.0009 | | | 0.0009 | 0.0029 | Grading |
| 05/15/07 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | | < 0.0010 | | | | < 0.0009 | | | 0.0019 | 0.0058 | Grading |
| 05/16/07 | <0.0009 | <0.0009 | <0.0009 | <0.0009 | <0.0009 | | 0.0010 | | | | 0.0010 | | | 0.0038 | 0.0048 | Grading |
| 05/17/07 | 0.0010 | <0.0010 | 0.0125 | 0.0122 | <0.0009 | | < 0.0010 | | | | 0.0019 | | | 0.0049 | 0.0067 | Grading |
| 05/18/07 | 0.0029 | <0.0010 | <0.0010 | <0.0009 | <0.0009 | | < 0.0010 | | < 0.0009 | | 0.0010 | | | 0.0019 | 0.0018 | Grading |
| 05/21/07 | <0.0009 | 0.0028 | <0.0010 | <0.0009 | <0.0009 | | 0.0010 | | | | < 0.0010 | | | 0.0019 | 0.0019 | Grading |
| 05/22/07 | 0.0009 | 0.0009 | 0.0010 | 0.0028 | <0.0010 | | 0.0010 | | | | 0.0009 | | | 0.0019 | 0.0080 | Grading |
| 05/23/07 | <0.0009 | <0.0009 | 0.0009 | <0.0009 | <0.0009 | | < 0.0010 | | | | 0.0009 | | | 0.0066 | 0.0104 | Grading |
| 05/24/07 | <0.0009 | <0.0009 | <0.0009 | <0.0009 | <0.0009 | | < 0.0010 | | < 0.0010 | | < 0.0010 | | | 0.0019 | 0.0170 | Grading |
| 05/25/07 | <0.0010 | <0.0009 | <0.0009 | <0.0009 | <0.0010 | | 0.0010 | | | | 0.0019 | | | 0.0019 | 0.0109 | Grading |
| 05/29/07 | <0.0009 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | | 0.0010 | | 0.0009 | | 0.0039 | | | 0.0069 | 0.0053 | Grading |
| 05/30/07 | <0.0010 | <0.0009 | <0.0010 | <0.0010 | 0.0010 | | 0.0039 | | | | 0.0010 | | | 0.0118 | 0.0078 | Grading |
| 05/31/07 | <0.0010 | <0.0009 | <0.0010 | <0.0009 | <0.0010 | | 0.0019 | | | | 0.0077 | | | 0.0029 | 0.0136 | Grading |
| 06/01/07 | 0.0009 | 0.0019 | 0.0009 | 0.0184 | 0.0009 | | < 0.0009 | | | | < 0.0009 | | | 0.0010 | 0.0020 | Grading |
| 06/04/07 | <0.0009 | <0.0009 | 0.0010 | <0.0009 | <0.0009 | | < 0.0009 | | | | 0.0020 | | | 0.0028 | 0.0106 | Shut down due to 6/01/07 asbestos exceedence. |
| 06/05/07 | <0.0009 | <0.0009 | <0.0010 | 0.0037 | NA | | < 0.0010 | | | | < 0.0010 | | | < 0.0010 | 0.0025 | Shut down due to 6/01/07 asbestos exceedence. |
| 06/06/07 | 0.0040 | 0.0009 | 0.0029 | 0.0059 | <0.0009 | | < 0.0009 | | 0.0010 | | < 0.0010 | | | 0.0010 | 0.0123 | Restart Grading operations |
| 06/07/07 | 0.0010 | <0.0009 | <0.0010 | 0.0123 | <0.0010 | | 0.0010 | | | | 0.0010 | | | 0.0048 | 0.0078 | Grading |
| 06/08/07 | 0.0009 | <0.0011 | 0.0030 | 0.0019 | <0.0009 | | < 0.0010 | | | | < 0.0010 | | | < 0.0010 | 0.0020 | Grading |
| 06/11/07 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | | < 0.0010 | | < 0.0009 | | 0.0019 | | | 0.0028 | 0.0119 | Grading |
| 06/12/07 | 0.0010 | 0.0085 | <0.0009 | 0.0019 | <0.0010 | | 0.0010 | | | | 0.0020 | | | 0.0050 | 0.0075 | Grading |
| 06/13/07 | 0.0019 | <0.0009 | <0.0010 | 0.0009 | <0.0010 | | 0.0010 | | | (sample voided) | | | | 0.0122 | 0.0149 | Grading |
| 06/14/07 | 0.0028 | 0.0028 | <0.0009 | 0.0028 | <0.0010 | | < 0.0010 | | | | < 0.0010 | | | < 0.0010 | 0.0087 | Grading |
| 06/15/07 | 0.0010 | <0.0010 | <0.0009 | 0.0028 | <0.0010 | | < 0.0010 | | | | < 0.0010 | | | 0.0030 | 0.0118 | Grading |
| 06/18/07 | <0.0009 | | <0.0009 | <0.0009 | <0.0009 | | < 0.0009 | | | | 0.0010 | | | < 0.0009 | 0.0030 | Grading |

TABLE 1
Asbestos Air Monitoring Data
Parcel A, Hunters Point Shipyard
San Francisco, California

| Date | HV-1 | HV-2 | HV-4 | HV-5 | HV-6 | HV-7 | HV-7 | HV-8 | HV-8 | HV-9 | HV-9 | HV-10 | HV-10 ¹ | HV-11 | HV-12 ² | Site Activity |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|-------|----------|--------------|----------|--------------------|----------|--------------------|---|
| Sampled | (BAAQMD) | (BAAQMD) | (BAAQMD) | (BAAQMD) | (BAAQMD) | (Lennar) | (T&R) | (Lennar) | (T&R) | (Lennar) | (T&R) | (Lennar) | (T&R) | (T&R) | (T&R) | |
| 06/19/07 | 0.0010 | 0.0009 | 0.0008 | <0.0009 | <0.0009 | | < 0.0010 | | | | 0.0087 | | | 0.0010 | 0.0075 | Grading |
| 06/20/07 | <0.0009 | <0.0009 | <0.0009 | <0.0009 | | | < 0.0010 | | | | 0.0010 | | | < 0.0010 | 0.0119 | Grading |
| 06/21/07 | <0.0009 | | <0.0009 | <0.0009 | <0.0010 | | < 0.0010 | | | | 0.0019 | | | 0.0095 | 0.0059 | Grading |
| 06/22/07 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | | < 0.0010 | < 0.0010 | | | 0.0010 | | | 0.0067 | 0.0049 | Grading |
| 06/25/07 | <0.0010 | <0.0010 | <0.0009 | 0.0019 | <0.0009 | | 0.0010 | | | | < 0.0010 | | | 0.0057 | 0.0099 | Grading |
| 06/26/07 | 0.0009 | 0.0049 | <0.0010 | <0.0010 | <0.0010 | | < 0.0010 | | | | < 0.0010 | | | 0.0020 | 0.0040 | Grading |
| 06/27/07 | 0.0125 | 0.0011 | <0.0010 | <0.0010 | <0.0010 | | < 0.0010 | < 0.0010 | | | < 0.0010 | | | 0.0097 | 0.0181 | Grading |
| 06/28/07 | 0.0472 | 0.0010 | <0.0010 | <0.0009 | <0.0010 | | < 0.0010 | | | | < 0.0010 | | | 0.0293 | 0.0456 | Grading |
| 06/29/07 | 0.0169 | 0.0010 | <0.0010 | <0.0009 | <0.0010 | | < 0.0010 | | | | < 0.0010 | | | 0.0029 | 0.0010 | Grading |
| 06/30/07 | <0.0010 | <0.0009 | <0.0010 | <0.0010 | <0.0010 | | < 0.0010 | | | | < 0.0010 | | | < 0.0010 | 0.0010 | Shut down due to 6/28/07 asbestos exceedence. |
| 07/01/07 | <0.0009 | <0.0010 | <0.0009 | <0.0009 | <0.0010 | | | | | | | | | | | Shut down due to 6/29/07 asbestos exceedence. |
| 07/02/07 | 0.0515 | 0.0009 | 0.0027 | 0.0009 | <0.0009 | | <0.0009 | | | | <0.0010 | | | 0.0144 | 0.0266 | Restart Grading operations |
| 07/03/07 | 0.0048 | <0.0010 | <0.0010 | <0.0009 | <0.0010 | | <0.0010 | <0.0009 | | | <0.0010 | | | <0.0010 | <0.0010 | Grading |
| 07/04/07 | <0.0009 | <0.0009 | <0.0010 | <0.0009 | <0.0010 | | <0.0010 | | | | <0.0010 | | | 0.0076 | 0.0050 | Shut down due to 7/02/07 asbestos exceedence. |
| 07/05/07 | 0.0066 | <0.0010 | 0.0045 | <0.0009 | <0.0010 | | <0.0010 | | | | <0.0010 | | | 0.0076 | 0.0108 | Shut down due to 7/02/07 asbestos exceedence. |
| 07/06/07 | 0.0056 | <0.0010 | 0.0010 | <0.0010 | <0.0010 | | <0.0010 | | | | <0.0010 | | | 0.0095 | 0.0127 | Restart Grading operations |
| 07/07/07 | <0.0010 | <0.0010 | <0.0010 | <0.0009 | <0.0010 | | | | | | | | | | | No grading operation - Contractor chose not to work (Saturday) |
| 07/09/07 | 0.0128 | <0.0010 | 0.0049 | <0.0010 | <0.0010 | | <0.0010 | | | | <0.0009 | | | 0.0113 | 0.0108 | Grading |
| 07/10/07 | <0.0009 | <0.0009 | <0.0010 | <0.0009 | <0.0010 | | <0.0009 | | | | 0.0010 | | | 0.0029 | 0.0039 | Grading |
| 07/11/07 | 0.0245 | 0.0129 | 0.0217 | <0.0009 | <0.0009 | | <0.0009 | | | | <0.0010 | | | 0.0039 | 0.0341 | Grading |
| 07/12/07 | 0.0289 | 0.0083 | 0.0111 | <0.0009 | <0.0010 | | <0.0009 | < 0.0010 | | | <0.0010 | | | 0.0271 | 0.0333 | Grading |
| 07/13/07 | 0.0039 | 0.0019 | 0.0057 | <0.0010 | <0.0009 | | <0.0010 | | | | <0.0010 | | | 0.0038 | 0.0163 | Shut down due to 7/11/07 asbestos exceedence |
| 07/14/07 | | | | | | | <0.0010 | | | | <0.0010 | | | 0.0010 | 0.0020 | No work (Saturday) |
| 07/16/07 | 0.0065 | <0.0009 | <0.0009 | <0.0009 | <0.0010 | | 0.0010 | | | | <0.0010 | | | 0.0070 | 0.0104 | Restart Grading operations |
| 07/17/07 | 0.0068 | <0.0010 | <0.0010 | <0.0009 | <0.0010 | | <0.0010 | | | | <0.0009 | | | 0.0010 | 0.0020 | Grading |
| 07/18/07 | 0.0028 | <0.0009 | <0.0009 | <0.0009 | <0.0010 | | <0.0010 | | | | 0.0039 | | | 0.0020 | 0.0255 | Grading |
| 07/19/07 | 0.0083 | 0.0018 | 0.0009 | <0.0009 | <0.0010 | | <0.0009 | | | | 0.0009 | | | 0.0275 | 0.0241 | Grading |
| 07/20/07 | 0.0037 | 0.0065 | <0.0009 | <0.0010 | <0.0009 | | <0.0010 | < 0.0010 | | | 0.0119 | | | 0.0128 | 0.0300 | Grading |
| 07/23/07 | 0.0133 | <0.0009 | <0.0009 | <0.0009 | <0.0009 | | <0.0010 | | | | <0.0010 | | | 0.0039 | 0.0289 | Grading |
| 07/24/07 | 0.0076 | <0.0009 | 0.0019 | <0.0010 | <0.0010 | | <0.0009 | <0.0009 | | | 0.0099 | | | 0.0242 | 0.0339 | Grading |
| 07/25/07 | 0.0037 | 0.0029 | <0.0010 | <0.0010 | <0.0010 | | <0.0010 | | | | Not analyzed | | | 0.0088 | 0.0114 | Grading |
| 07/26/07 | <0.0009 | <0.0009 | <0.0010 | <0.0010 | <0.0010 | | <0.0010 | | | | <0.0005 | | | 0.0067 | 0.0069 | Shut down due to 7/24/07 asbestos exceedence at Community Station |
| 07/27/07 | 0.0029 | <0.0009 | <0.0009 | <0.0011 | <0.0010 | | <0.0010 | | | | 0.0010 | | | 0.0233 | 0.0057 | Restart Grading operations |
| 07/30/07 | <0.0010 | <0.0009 | 0.0020 | <0.0009 | <0.0010 | | <0.0010 | | | | 0.0019 | | | 0.0048 | 0.0107 | Shut down due to 7/27/07 asbestos exceedence at Community Station |
| 07/31/07 | <0.0010 | <0.0009 | 0.0037 | <0.0010 | <0.0009 | | <0.0009 | | | | <0.0010 | | | 0.0048 | 0.0099 | Shut down due to 7/27/07 asbestos exceedence at Community Station |
| 08/01/07 | 0.0010 | <0.0009 | <0.0010 | <0.0009 | <0.0010 | | <0.0010 | <0.0010 | | | 0.0010 | | | 0.0059 | 0.0105 | Restart Grading operations |
| 08/02/07 | <0.0010 | 0.0019 | <0.0009 | <0.0010 | <0.0010 | | <0.0009 | | | | <0.0010 | | | 0.0039 | 0.0148 | Grading |
| 08/03/07 | 0.0038 | 0.0039 | 0.0059 | <0.0009 | 0.0020 | | <0.0009 | | | | 0.0010 | | | 0.0030 | <0.0010 | Grading |
| 08/06/07 | 0.0127 | <0.0010 | <0.0009 | <0.0010 | <0.0010 | | <0.0010 | <0.0010 | | | <0.0010 | | | 0.0075 | 0.0143 | Grading |
| 08/07/07 | 0.0081 | 0.0062 | 0.0009 | <0.0009 | <0.0009 | | <0.0009 | | | | <0.0010 | | | 0.0030 | 0.0109 | Grading |
| 08/08/07 | <0.0010 | <0.0010 | <0.0009 | <0.0009 | <0.0010 | | 0.0010 | | | | 0.0040 | | | 0.0020 | 0.0274 | Grading |
| 08/09/07 | <0.0009 | <0.0009 | <0.0009 | 0.0019 | <0.0010 | | <0.0010 | | | | 0.0010 | | | 0.0085 | 0.0550 | Grading |
| 08/10/07 | <0.0010 | 0.0019 | <0.0009 | 0.0039 | 0.0009 | | 0.0029 | | | | 0.0010 | | | 0.0049 | 0.0048 | Grading |
| 08/11/07 | <0.0009 | <0.0009 | <0.0010 | <0.0010 | <0.0009 | | <0.0010 | | | | <0.0010 | | | 0.0020 | 0.0038 | Grading |
| 08/13/07 | <0.0009 | <0.0009 | <0.0009 | 0.0018 | 0.0009 | | <0.0010 | | | | 0.0019 | | | 0.0029 | 0.0129 | Grading |
| 08/14/07 | <0.0009 | 0.0066 | 0.0019 | 0.0178 | <0.0009 | | 0.0019 | | | | 0.0020 | | | 0.0030 | 0.0089 | Grading |
| 08/15/07 | 0.0010 | 0.0029 | 0.0117 | 0.0018 | <0.0009 | | 0.0010 | | | | 0.0019 | | | 0.0096 | 0.0115 | Grading |
| 08/16/07 | 0.0010 | 0.0089 | 0.0030 | <0.0009 | <0.0009 | | <0.0010 | 0.0048 | | | 0.0010 | | | 0.0332 | 0.0532 | Shut down due to 7/14/07 asbestos exceedence at Station HV-5 |
| 08/17/07 | 0.0019 | 0.0010 | 0.0029 | 0.0057 | 0.0009 | | <0.0010 | 0.0460 | | | <0.0010 | | | <0.0010 | 0.0038 | Grading |
| 08/18/07 | <0.0010 | 0.0009 | 0.0029 | <0.0010 | <0.0010 | | <0.0009 | | | | 0.0010 | | | 0.0090 | 0.0030 | Shut down due to 8/16/07 asbestos exceedence at Community Station |
| 08/19/07 | <0.0009 | <0.0009 | 0.0028 | <0.0008 | <0.0009 | | | | | | | | | | | Shut down due to 8/16/07 asbestos exceedence at Community Station |

TABLE 1
Asbestos Air Monitoring Data
Parcel A, Hunters Point Shipyard
San Francisco, California

| Date | HV-1 | HV-2 | HV-4 | HV-5 | HV-6 | HV-7 | HV-7 | HV-8 | HV-8 | HV-9 | HV-9 | HV-10 | HV-10 ¹ | HV-11 | HV-12 ¹ | Site Activity |
|---|---|----------|----------|----------|----------|----------|-------|----------|-------|----------|-------|----------|--------------------|-------|--------------------|--------------------------------------|
| Sampled | (BAAQMD) | (BAAQMD) | (BAAQMD) | (BAAQMD) | (BAAQMD) | (Lennar) | (T&R) | (Lennar) | (T&R) | (Lennar) | (T&R) | (Lennar) | (T&R) | (T&R) | (T&R) | |
| | 7 | 5 | 1 | 4 | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Exceedances Prior to 1 December 2006 |
| | 5 | 0 | 1 | 3 | 1 | 0 | 1 | 0 | 2 | 0 | 1 | 0 | 13 | 8 | 13 | Exceedances Since 1 December 2006 |
| | | | | | | | | | | | | | | | 66 | Total Exceedances (All Dates) |
| Notes: | | | | | | | | | | | | | | | | |
| ¹ Per agreement between CCSF and Lennar, trigger level exceedances at HV-10/HV-12 that occur after 26 January 2007 do not cause a shutdown of grading operations. | | | | | | | | | | | | | | | | |
| ² The shutdown criterion for this project is 16,000 structures per cubic meter (structures/m3). However, due to the inherent uncertainty in the analytic method (i.e., an uncertainty of 900 structures per cubic meter), Lennar has committed to shutting down grading operations if airborne asbestos results exceed 15,100 structures/m3 at any monitoring location other than HV-10/HV-12. | | | | | | | | | | | | | | | | |
| ³ Sample collected at monitoring location HV-9 on 05/08/07 was damaged during sampling due to flooding of sampling apparatus. | | | | | | | | | | | | | | | | |
| Light green | shading indicates an exceedance of the trigger level of 0.016 structures per cubic centimeter (structures/cc). | | | | | | | | | | | | | | | |
| Rose | shading indicates an exceedance of the trigger level of 0.016 structures per cubic centimeter (structures/cc) at HV-10/HV-12 after 26 January 2007. | | | | | | | | | | | | | | | |